

## LIST OF TABLES

1.1	Environment Agency list of priority organic chemicals listed under the EU Water Framework Directive	page 5
1.2	Compounds used in this study showing agrochemical compounds, metabolites, internal and external standards	page 12
1.3	Summary of toxicity endocrine disrupting and carcinogenic properties of selected compounds	page 16
1.4	Chemical properties of atrazine	page 25
1.5	Chemical properties of simazine	page 26
1.6	Chemical properties of cyanazine	page 27
1.7	Chemical properties of propazine	page 28
1.8	Chemical properties of isoproturon	page 29
1.9	Chemical properties of diuron	page 30
1.10	Chemical properties of alachlor	page 31
1.11	Chemical properties of chlortoluron	page 32
2.1	Chemical standards used in the method development programme	page 53
2.2	Isocratic and instrument conditions	page 65
2.3	Stage one isocratic elution observations	page 66
2.4	Gradient and instrument conditions	page 69
2.5	Stage two gradient elution observations relating to conditions outlined in table 2.4 10% B initial	page 70
2.6	Chromatographic conditions with changing A and B compositions	page 71
2.7	Stage two gradient elution observations relating to conditions outlined in table 2.6 20% B initial	page 72
2.8	Chromatographic conditions with changing A and B compositions	page 73
2.9	Stage two gradient elution observations relating to conditions outlined in table 2.9 830% B initial	page 74
2.10	Chromatographic conditions with changing A and B compositions	page 76
2.11	Observation relating to gradient conditions outlined in table 2.10	page 77
2.12	Chromatographic conditions with changing A and B compositions	page 78
2.13	Observation relating to gradient conditions outlined in table 2.12	page 79
2.14	Chromatographic conditions with changing A and B compositions	page 80
2.15	Observation relating to gradient conditions outlined in table 2.14	page 81

2.16	Chromatographic conditions with change of increase of flow rate	page 83
2.17	Observation relating to gradient conditions outlined in table 2.16	page 84
2.18	Chromatographic conditions associated with changing temperature	page 85
2.19	Changing column temperatures associated with table 2.18	page 86
2.20	Chromatographic conditions with changing concentrations	page 87
2.21	Changing sample concentrations associated with table 2.20	page 88
2.22	Chromatographic conditions with changing concentrations and non linear gradient curve values	page 89
2.23	Changing concentration and non linear gradient curve values associated with table 2.22	page 90
2.24	Chromatographic conditions with changing concentrations and non linear gradient curve values for method mei128	page 95
2.25	Calculated retention factor for seven analytes considered in this part of The study and separation factors between analytes	page 96
3.1	Operating parameters of all analytes	page 110
3.2	Optimum mass spectrometer operating conditions determined by experiment	page 112
3.3	Calculated Height Equivalent of a Theoretical Plate for each compound	page 114
3.4	The calibration curve correlation curve and R <sup>2</sup> value of all analytes	page 126
4.1	Process sequence for SPE	page 148
4.2	Percentage recovery of target analytes by SPE (500 µg l <sup>-1</sup> )	page 151
4.3	Comparing deuterated against non deuterated analyte percentage recoveries of Oasis HLB and MCX cartridges	page 153
5.1.	The GPS Co-ordinates of the River Sampling Points	page 160
5.2	Summary of the 4 investigation steps	page 172
5.3	Example of the reporting of repeat measurements for 10 µg l <sup>-1</sup> concentration of atrazine on a single day.	page 174
5.4	Single-tailed Student's t-values for 99% confidence limits	page 177
5.5	Example of the Peak Area reporting of repeat measurements for atrazine concentrations over 5 days generated by the MassLynx software	page 179
5.6	Peak area response (n=8) for atrazine (750 µg l <sup>-1</sup> ) over 5 days	page 183
5.7	Calculated R <sup>2</sup> average values for 5 days reproducibility study	page 183

5.8	Example reporting spreadsheet for one of the compounds analysed (atrazine)	page 184
5.9	Mean peak areas response for the primary and secondary transitions for all 17 compounds over 7 days at 100 µg l <sup>-1</sup>	page 187
5.10	Investigation 3. The mean peak area response and instrumental LOD and LOQ calculated from spiked River Ogmore (Bwlch) water	page 190
5.11	Summary of the rivers studied including sampling points measured, Run number and table of results	page 194
5.12	River Wye water samples showing mean peak area response and MDL and reportable concentration for each compound	page 195
5.13	River Wye water samples showing mean peak area response and MDL and reportable concentration for each compound	page 196
5.14	River Wye water samples showing mean peak area response and MDL and reportable concentration for each compound	page 197
5.15	River Wye water samples showing mean peak area response and MDL and reportable concentration for each compound	page 198
5.16	River Wye water samples showing mean peak area response and MDL and reportable concentration for each compound	page 199
5.17	River Ogmore water samples showing mean peak area response and MDL and reportable concentration for each compound	page 201
5.18	River Ogmore water samples showing mean peak area response and MDL and reportable concentration for each compound	page 202
5.19	River Ogmore water samples showing mean peak area response and MDL and reportable concentration for each compound	page 203
5.20	River Ogmore water samples showing mean peak area response and MDL and reportable concentration for each compound	page 204
5.21	River Ogmore water samples showing mean peak area response and MDL and reportable concentration for each compound	page 205
5.22	River Ely water samples showing mean peak area response and MDL and reportable concentration for each compound	page 207
5.23	River Ely water samples showing mean peak area response and MDL and reportable concentration for each compound	page 208