

## LIST OF FIGURES

1.1a	The chemical structures of the selected triazine herbicides in this study	page 7
1.1b	The chemical structures of the selected triazine metabolites in this study	page 7
1.1c	The chemical structures of the selected phenylurea analytes in this study	page 8
1.1d	The chemical structures of the selected chloracetanilide analyte in this study	page 8
1.2	Degradation of atrazine to its metabolites in the environment	page 10
1.3	Breakdown of triazine compounds to its metabolites in the environment	page 11
1.4	The deuterated internal standards used in this study	page 14
1.5	The percentage of surface water samples exceeding $0.1 \mu\text{g l}^{-1}$ for the most common pesticides in England and Wales from 1998 to 2007	page 18
1.6	The percentage of surface water samples exceeding $0.1 \mu\text{g l}^{-1}$ for the most common pesticides in England and Wales from 2002 to 2007	page 19
1.7	Ethylene Bridged Hybrid [BEH] particle behind UPLC <sup>®</sup> technology	page 37
2.1	Photograph of the Acquity UPLC used in this study	page 48
2.2	MassLynx schematic of the sample manager	page 49
2.3	MassLynx schematic of the binary solvent manager	page 50
2.4	MassLynx schematic of the TUV detector	page 51
2.5	Photograph of the internal parts of the Acquity UPLC	page 52
2.6	Peak dispersion by longitudinal diffusion	page 55
2.7	The van Deemter plot	page 56
2.8	Plot of Absorbance against wavelength of the UV/Vis of the initial analytes considered in this study	page 59
2.9	Non linear gradient profiles in the UPLC system	page 62
2.10	The elution of seven analytes using method mei 128	page 96
3.1	Photograph of the Micromass Quattro Micro tandem mass spectrometer used in this study	page 101
3.2	Schematic diagram of the Quattro Micro tandem mass spectrometer	page 102
3.3	Mechanism of ion formation in atmospheric ionisation by electrospray	page 104
3.4	Z-Spray ionisation system	page 104
3.5	Schematic diagram of the quadrupole in the mass spectrometer	page 105
3.6	Resonant and non resonant quadrupole ion paths	page 105
3.7	The tandem mass spectrometer mode of operation	page 106

3.8	A diagram of the instrument set up to optimise parameters	page 108
3.9	The low and high mass resolution setting adjustments	page 109
3.10	The $[M+H]^+$ and the two transitions ions of atrazine	page 115
3.11	The $[M+H]^+$ and the two transitions ions of propazine	page 115
3.12	The $[M+H]^+$ and the two transitions ions of isoproturon	page 116
3.13	The $[M+H]^+$ and the two transitions ions of diuron	page 116
3.14	The $[M+H]^+$ and the two transitions ions of atrazine desisopropyl	page 117
3.15	The $[M+H]^+$ and the two transitions ions of atrazine desethyl	page 117
3.16	The $[M+H]^+$ and the two transitions ions of simazine	page 118
3.17	The $[M+H]^+$ and the two transitions ions of cyanazine	page 118
3.18	The $[M+H]^+$ and the two transitions ions of alachlor	page 119
3.19	The $[M+H]^+$ and the two transitions ions of chlortoluron	page 119
3.20	The $[M+H]^+$ and the two transitions ions of linuron	page 120
3.21	The $[M+H]^+$ and the two transitions ions of atrazine d <sub>5</sub>	page 120
3.22	The $[M+H]^+$ and the two transitions ions of propazine-2-hydroxy	page 121
3.23	The $[M+H]^+$ and the two transitions ions of isoproturon d <sub>6</sub>	page 121
3.24	The $[M+H]^+$ and the two transitions ions of diuron d <sub>6</sub>	page 122
3.25	The $[M+H]^+$ and the two transitions ions of simazine d <sub>10</sub>	page 122
3.26	The $[M+H]^+$ and the two transitions ions of alachlor d <sub>13</sub>	page 123
3.27	Calibration curve for atrazine	page 127
3.28	Calibration curve for propazine	page 127
3.29	Calibration curve for isoproturon	page 128
3.30	Calibration curve for diuron	page 128
3.31	Calibration curve for atrazine desisoproyl	page 129
3.32	Calibration curve for atrazine desethyl	page 129
3.33	Calibration curve for simazine	page 130
3.34	Calibration curve for cyanazine	page 130
3.35	Calibration curve for alachlor	page 131
3.36	Calibration curve for chlortoluron	page 131
3.37	Calibration curve for linuron	page 132
3.38	Calibration curve for atrazine d <sub>5</sub>	page 132
3.39	Calibration curve for propazine-2-hydroxy	page 133
3.40	Calibration curve for isoproturon d <sub>6</sub>	page 133
3.41	Calibration curve for diuron d <sub>6</sub>	page 134

3.42	Calibration curve for simazine d <sub>10</sub>	page 134
3.43	Calibration curve for alachlor d <sub>13</sub>	page 135
4.1	Illustration of the elution protocol for SPE	page 142
4.2	Photograph of the ASPEC XL4 automated SPE system	page 143
4.3	The Interaction HLB sorbent	page 146
4.4	The interaction of MCX sorbent	page 146
4.5	The interaction of Chromabond C18 sorbent	page 147
5.1	Sampling points on the River Wye	page 162
5.2	The Boat Launch Steps at Symonds Yat East on the River Wye	page 163
5.3	The source of the River Ogmore	page 164
5.4	River sampling point on the River Ely at St Georges	page 165
5.5	Sampling points on the River Ogmore and River Ely	page 166
5.6	Source of the River Taff (Taff Fawr) in the Brecon Beacons, Storey Arms	page 167
5.7	Water collection at Symonds Yat East	page 168
5.8	Water collection in 2.5 litre silanised bottles.	page 169
5.9	A screenshot of the QuanLynx software reporting the data	page 173
5.10	The reproducibility results of atrazine, propazine and isoproturon	page 178
5.11	Five day reproducibility study for simazine_d10 at 500 µg l <sup>-1</sup>	page 180
5.12	The series of reproducibility results for the analytes and standards showing both transitions.	page 185
5.13	Mean peak area response for primary transition of atrazine (100 µg l <sup>-1</sup> ) over seven days showing ±2σ and ±3σ	page 186
5.14	Mean peak area response for primary transition of linuron (100 µg l <sup>-1</sup> ) over seven days showing ±2σ and ±3σ	page 186
5.15	River Ogmore source water percentage recovery of analytes described in Table 5.10 prior (tab 142) and post (tab 145) extraction spiked water comparison	page 191
5.16	River Wye analyte concentration of the 12 compounds studied expressed as a percentage of the MDL of each compound	page 200
5.17	River Ogmore, analyte concentration of the 12 compounds studied expressed as a percentage of the MDL of each compound	page 206

5.18 River Ely, analyte concentration of the 12 compounds studied  
expressed as a percentage of the MDL of each compound

page 209