

- [5] Webb DJT. Stabilised soil and the built environment. *Renewable Energy*.1994; 5 (5-8): 1066-1080.
- [6] Reddy BV, Jagadish KS. Embodied energy of common and alternative building materials and technologies. *Energy and Buildings*. 2003;35(2):129-137.
- [7] Esmeray E, Atis M. Utilization of sewage sludge, oven slag and fly ash in clay brick production. *Construction and Building Materials*. 2019;194:110-121.
- [8] Sutcu M, Erdogmus E, Gencel O, Gholampour A, Atan E, Ozbakkaloglu T. Recycling of bottom ash and fly ash wastes in eco-friendly clay brick production. *Journal of Cleaner Production*. 2019;233:753-764.
- [9] Kariyawasam KK, Jayasinghe C. Cement stabilized rammed earth as a sustainable construction material. *Construction and Building Materials*. 2016;105:519-527.
- [10] Khadka B, Shakya M. Comparative compressive strength of stabilized and un-stabilized rammed earth. *Materials and Structures*. 2016;49(9):3945-3955.
- [11] Dao K, Ouedraogo M, Millogo Y, Aubert JE, Gomina M. Thermal, hydric and mechanical behaviours of adobes stabilized with cement. *Construction and Building Materials*. 2018;158:84-96.
- [12] McGregor F, Heath A, Fodde E, Shea A. Conditions affecting the moisture buffering measurement performed on compressed earth blocks. *Building and Environment*. 2014;75:11-18.
- [13] Arrigoni A, Grillet AC, Pelosato R, Dotelli G, Beckett CT, Woloszyn M, Ciancio D. Reduction of rammed earth's hygroscopic performance under stabilisation: an experimental investigation. *Building and Environment*. 2017;115:358-367.
- [14] Worrell E, Price L, Martin N, Hendriks C, Meida LO. Carbon dioxide emissions from the global cement industry. *Annual Review of Energy and the Environment*. 2001;26(1):303-329.
- [15] Labat M, Magniont C, Oudhof N, Aubert JE. From the experimental characterization of the hygrothermal properties of straw-clay mixtures to the numerical assessment of their buffering potential. *Building and Environment*. 2016;97:69-81.
- [16] Al Rim K, Ledhem A, Douzane O, Dheilily RM, Queneudec M. Influence of the proportion of wood on the thermal and mechanical performances of clay-cement-wood composites. *Cement and Concrete Composites*. 1999;21(4):269-276.
- [17] Mazhoud B, Collet F, Pretot S, Lanos C. Mechanical properties of hemp-clay and hemp stabilized clay composites. *Construction and Building Materials*. 2017;155:1126-1137.
- [18] Renouard S, Hano C, Doussot J, Blondeau JP, Lainé E. Characterization of ultrasonic impact on coir, flax and hemp fibers. *Materials Letters*. 2014;129:137-141.
- [19] Boardman DI, Glendinning S, Rogers CD. Development of stabilisation and solidification in lime-clay mixes. *Geotechnique*. 2001;51(6):533-543.
- [20] Oti JE, Kinuthia JM. Stabilised unfired clay bricks for environmental and sustainable use. *Applied Clay Science*. 2012;58:52-59.
- [21] BS EN 15167-1. Ground granulated blast furnace slag for use in concrete, mortar and grout. Part 1: Definitions, specifications and conformity criteria. 2006.
- [22] BS EN 197-1. Cement. Part 1: Composition, specifications and conformity criteria for common cements. 2011.
- [23] Oti JE, Kinuthia JM. Stabilised unfired clay bricks for environmental and sustainable use. *Applied Clay Science*. 2012;58:52-59.
- [24] Kinuthia JM, Oti JE. Designed non-fired clay mixes for sustainable and low carbon use. *Applied clay science*. 2012;59:131-139.
- [25] Oti JE, Kinuthia JM, Bai J. Engineering properties of unfired clay masonry bricks. *Engineering Geology*. 2009;107(3-4):130-139.
- [26] Oti JE, Kinuthia JM, Bai J. Using slag for unfired-clay masonry-bricks. *Proceedings of the Institution of Civil Engineers-Construction Materials*. 2008;161(4):147-155.
- [27] Oti JE, Kinuthia JM, Bai J. Developing unfired stabilised building materials in the UK. *Proceedings of the Institution of Civil Engineers-Engineering Sustainability*. 2008;161(4):211-218.
- [28] BS 1924-2: 1990 - British Standards Institute. Stabilised materials for civil engineering purposes - Part 2: Methods of test for cement-stabilised and lime- stabilised materials.
- [29] Oti JE, Kinuthia JM, Bai J. Development of innovative low carbon clay bricks. *Proceedings of the 2nd International Conference on Learning from Earthen Architecture in Climate Change (Kerpic'08)*, Cyprus International University, Lefkosa Northern Cyprus. 2008. p.291-297.
- [30] Al-Hadhrani LM, Ahmad A. Assessment of thermal performance of different types of masonry bricks used in Saudi Arabia. *Applied Thermal Engineering*. 2009;29(5-6):1123-1130.



© 2020 by the author(s). This work is licensed under a [Creative Commons Attribution 4.0 International License](http://creativecommons.org/licenses/by/4.0/) (http://creativecommons.org/licenses/by/4.0/). Authors retain copyright of their work, with first publication rights granted to Tech Reviews Ltd.